



CONNECTOR LOOPS (RECEIVE THE CONNECTOR PIN) SEE STD. MD 104.01-54 FOR DETAILS

FOR LIMITS OF MEASUREMENT REFER TO STD. MD 104.01-47

SEE DETAIL A ON STD. MD 104.01-53

PAYMENT PER EACH 15'-1"

6x6-W2.9xW2.9 WELDED WIRE FABRIC SEE NOTE 4 A&B

NO.4 BARS SEE NOTE 4B

6x6-W2.9xW2.9 WELDED WIRE FABRIC SEE NOTE 4 A&B

NOTES

1. THIS BARRIER SHALL BE USED IN ACCORDANCE WITH THE APPROPRIATE WORK ZONE TRAFFIC CONTROL STANDARDS. REFER TO THE BOOK OF STANDARDS SECTION 1- PRELIMINARY.
2. THE BARRIER SHALL BE USED IN COMBINATION WITH TRAFFIC BARRIER W BEAM AND PRECAST TEMPORARY CONCRETE TRAFFIC BARRIER (PIN AND LOOP) AS SHOWN ON STD. MD 104.01-47 AND MD 104.01-48.
3. THE BARRIER SHALL BE CAST USING CONCRETE MIX NO.6 (4500 PSI).
4. REINFORCEMENT: A) 6x6 W2.9xW2.9 WELDED WIRE FABRIC FOLDED IN U SHAPE
B) 2-NO.4 1/2" Ø REINFORCEMENT BARS - GRADE 60 - EACH 11'-4" LONG
5. ONE CONNECTOR PIN SHALL BE FURNISHED WITH EACH BARRIER SEE STD. MD 104.01-54 FOR DETAILS OF CONNECTOR PIN.
6. THE COST OF THE CONNECTOR PIN SHALL BE INCIDENTAL TO THE CONTRACT PRICE PER EACH FOR PRECAST TEMPORARY 32 INCH F SHAPE CONCRETE TRAFFIC BARRIER TERMINAL END RIGHT SIDE APPROACH.
7. SEE STD. MD 104.01-53 AND MD 104.01-54 FOR PIN AND LOOP JOINT CONNECTOR DETAILS.

SPECIFICATION 104	CATEGORY CODE ITEMS
APPROVED <i>Kirk G. McCall</i> DIRECTOR - OFFICE OF HIGHWAY DEVELOPMENT	
	APPROVAL • SHA REVISIONS
	APPROVAL • FEDERAL HIGHWAY ADMINISTRATION
	APPROVAL 8-20-03 APPROVAL 9-23-03
	REVISED 2-10-04 REVISED 3-31-04
	REVISED REVISED

Maryland Department of Transportation
STATE HIGHWAY ADMINISTRATION
 STANDARDS FOR HIGHWAYS AND INCIDENTAL STRUCTURES
PRECAST TEMPORARY 32 INCH F SHAPE
CONCRETE TRAFFIC BARRIER TERMINAL END-
RIGHT SIDE APPROACH DETAILS
STANDARD NO. MD 104.01-49