


VAR
I-2
STATE LINE

*Series 2000 Standard Alphabets.

SHA SIGN SHALL NOT BE USED ALONG STATE OWNED, OPERATED AND MAINTAINED ROADWAYS.

COLORS: LEGEND WHITE (RETROREFLECTIVE)
 BACKGROUND GREEN (RETROREFLECTIVE)



* SEE BELOW FOR VARIABLE "A" DIMENSION
 ** CLEARVIEW TYPE SYSTEM: CLEARVIEWHWY-2-W

| SIGN SIZE | DIMENSIONS (INCHES) | | | | | |
|-----------|---------------------|----|-----|---|-----|---|
| | A* | B | C | D | E | F |
| MIN, STD | VARIES | 24 | 3/4 | 4 | 6** | 3 |

COUNTY CODE NUMBERS

| | | A* | | | A* |
|----------|--------------|----|----------|-----------------|----|
| | | A* | 195-2(I) | HARFORD | 48 |
| 195-2(I) | ALLEGANY | 48 | 195-2(I) | HOWARD | 48 |
| 195-2(I) | ANNE ARUNDEL | 60 | 195-2(I) | KENT | 48 |
| 195-2(I) | BALTIMORE | 48 | 195-2(I) | MONTGOMERY | 60 |
| 195-2(I) | CALVERT | 48 | 195-2(I) | PRINCE GEORGE'S | 72 |
| 195-2(I) | CAROLINE | 48 | 195-2(I) | QUEEN ANNE'S | 60 |
| 195-2(I) | CARROLL | 48 | 195-2(I) | SOMERSET | 48 |
| 195-2(I) | CECIL | 48 | 195-2(I) | ST. MARY'S | 48 |
| 195-2(I) | CHARLES | 48 | 195-2(I) | TALBOT | 48 |
| 195-2(I) | DORCHESTER | 48 | 195-2(I) | WASHINGTON | 60 |
| 195-2(I) | FREDERICK | 48 | 195-2(I) | WICOMICO | 48 |
| 195-2(I) | GARRETT | 48 | 195-2(I) | WORCESTER | 48 |

REFERENCES

MdMUTCD SECTION - 2D.48, 2E.55

COLORS

LEGEND - WHITE
 BACKGROUND - GREEN

APPROVED Tom Hicks (signature on file)
 DIRECTOR - OFFICE OF TRAFFIC AND SAFETY

Maryland Department of Transportation
STATE HIGHWAY ADMINISTRATION
 MARYLAND STANDARD HIGHWAY SIGNS




| | |
|----------------------------|---|
| APPROVAL • SHA REVISIONS | APPROVAL • FEDERAL HIGHWAY ADMINISTRATION |
| APPROVAL 03/02/2009 | APPROVAL |
| REVISED | REVISED |
| REVISED | REVISED |
| REVISED | REVISED |

COUNTY LINE SIGN

SIGN NUMBER

I-2(1)



* SEE BELOW FOR VARIABLE "A" DIMENSION
 ** CLEARVIEW TYPE SYSTEM: CLEARVIEWHWY-2-W

| SIGN SIZE | DIMENSIONS (INCHES) | | | | | | | | | |
|-----------|---------------------|----|---|----|-----|---|-----|----|----|---|
| | A* | B | C | D | E | F | G | H | J | K |
| EXP/FWY | VARIES | 60 | 2 | 10 | 8** | 9 | 6** | 12 | 18 | 6 |

COUNTY CODE NUMBERS

| | | A* |
|-------|--------------|-----|
| 195-2 | ALLEGANY | 108 |
| 195-2 | ANNE ARUNDEL | 120 |
| 195-2 | BALTIMORE | 108 |
| 195-2 | CALVERT | 108 |
| 195-2 | CAROLINE | 108 |
| 195-2 | CARROLL | 108 |
| 195-2 | CECIL | 108 |
| 195-2 | CHARLES | 108 |
| 195-2 | DORCHESTER | 108 |
| 195-2 | FREDERICK | 108 |
| 195-2 | GARRETT | 108 |

| | | |
|-------|-----------------|-----|
| 195-2 | HARFORD | 108 |
| 195-2 | HOWARD | 108 |
| 195-2 | KENT | 108 |
| 195-2 | MONTGOMERY | 120 |
| 195-2 | PRINCE GEORGE'S | 132 |
| 195-2 | QUEEN ANNE'S | 120 |
| 195-2 | SOMERSET | 108 |
| 195-2 | ST. MARY'S | 108 |
| 195-2 | TALBOT | 108 |
| 195-2 | WASHINGTON | 120 |
| 195-2 | WICOMICO | 108 |
| 195-2 | WORCESTER | 108 |

REFERENCES

MdMUTCD SECTION - 2D.48, 2E.55

COLORS

LEGEND - WHITE

BACKGROUND - GREEN

APPROVED Tom Hicks (signature on file)
 DIRECTOR - OFFICE OF TRAFFIC AND SAFETY



| APPROVAL • SHA REVISIONS | APPROVAL • FEDERAL HIGHWAY ADMINISTRATION |
|----------------------------|---|
| APPROVAL 03/02/2009 | APPROVAL |
| REVISED | REVISED |
| REVISED | REVISED |
| REVISED | REVISED |

Maryland Department of Transportation
STATE HIGHWAY ADMINISTRATION
 MARYLAND STANDARD HIGHWAY SIGNS
COUNTY LINE SIGN
(SPECIAL - USUALLY PROVIDED BY COUNTY)

SIGN NUMBER

I-2(2)



SHA SIGN SHALL NOT BE USED ALONG STATE OWNED, OPERATED AND MAINTAINED ROADWAYS.

COLORS: LEGEND WHITE (RETROREFLECTIVE)
 BACKGROUND GREEN (RETROREFLECTIVE)



* CLEARVIEW TYPE SYSTEM: CLEARVIEWHWY-3-W

| SIGN SIZE | DIMENSIONS (INCHES) | | | | | | |
|----------------|---------------------|----|-------|---|-------|-----|-------|
| | A | B | C | D | E | F | G |
| SPEED < 40 MPH | VAR | 24 | 5/8 | 4 | 6* | 4 | 1-1/2 |
| SPEED > 40 MPH | VAR | 36 | 7/8 | 7 | 8* | 6 | 2-1/4 |
| SPECIAL | VAR | 48 | 1-1/4 | 9 | 10.6* | 8.8 | 3 |

REFERENCES

MdMUTCD SECTION - 2D.48, 2E.55

COLORS

LEGEND - WHITE
BACKGROUND - GREEN

APPROVED Tom Hicks (signature on file)
DIRECTOR - OFFICE OF TRAFFIC AND SAFETY


| | | |
|--|----------------------------|---|
| | APPROVAL • SHA REVISIONS | APPROVAL • FEDERAL HIGHWAY ADMINISTRATION |
| | APPROVAL 03/02/2009 | APPROVAL |
| | REVISED | REVISED |
| | REVISED | REVISED |

Maryland Department of Transportation
STATE HIGHWAY ADMINISTRATION
MARYLAND STANDARD HIGHWAY SIGNS

RIVER NAME

SIGN NUMBER


I-3(1)



I-5
AIRPORT

SHA *FOR SYMBOL DESIGN REFER TO THE APPENDIX-GRID SECTION FROM FHWA'S STANDARD HIGHWAY SIGNS BOOK -APPENDIX SECTION

| A | B | C | D | E |
|----|-----|-----|----|-------|
| 18 | .5 | 1.5 | 15 | 1.5 |
| 24 | .5 | 2 | 20 | 1.5 |
| 30 | .75 | 2.5 | 25 | 1.875 |



NOTE: FOR LOGO DESIGN REFER TO I-5(1)GRID IN APPENDIX-GRID SECTION.

| SIGN SIZE | DIMENSIONS (INCHES) | | | |
|-----------|---------------------|------|--------|------|
| | A | B | C | D |
| MIN | 18 | 1 | 16-1/2 | 1/2 |
| STD | 24 | 1.33 | 22 | 0.67 |
| SPECIAL | 30 | 1.67 | 27-1/2 | 0.83 |

REFERENCES

MdMUTCD SECTION - 2D.48, 2E.55

COLORS

LEGEND - WHITE

BACKGROUND - RED

APPROVED Tom Hicks (signature on file)
DIRECTOR - OFFICE OF TRAFFIC AND SAFETY

Maryland Department of Transportation
STATE HIGHWAY ADMINISTRATION
MARYLAND STANDARD HIGHWAY SIGNS




| | |
|----------------------------|---|
| APPROVAL • SHA REVISIONS | APPROVAL • FEDERAL HIGHWAY ADMINISTRATION |
| APPROVAL 03/02/2009 | APPROVAL |
| REVISED | REVISED |
| REVISED | REVISED |
| REVISED | REVISED |

BWI

SIGN NUMBER

I-5(1)



I-6


BUS STATION

SHA *FOR SYMBOL DESIGN REFER TO THE APPENDIX-GRID SECTION FROM FHWA'S STANDARD HIGHWAY SIGNS BOOK -APPENDIX SECTION

| A | B | C | D | E |
|----|-----|-----|----|-------|
| 18 | .5 | 1.5 | 15 | 1.5 |
| 24 | .5 | 2 | 20 | 1.5 |
| 30 | .75 | 2.5 | 25 | 1.875 |

SHA REFERENCES
MdMUTCD SECTION - 2D.48, 2E.55

COLORS: SYMBOL WHITE (RETROREFLECTIVE)
BACKGROUND GREEN (RETROREFLECTIVE)



I-7


TRAIN STATION

SHA *FOR SYMBOL DESIGN REFER TO THE APPENDIX-GRID SECTION FROM FHWA'S STANDARD HIGHWAY SIGNS BOOK -APPENDIX SECTION

| A | B | C | D | E |
|----|-----|-----|----|-------|
| 18 | .5 | 1.5 | 15 | 1.5 |
| 24 | .5 | 2 | 20 | 1.5 |
| 30 | .75 | 2.5 | 25 | 1.875 |

SHA REFERENCES
MdMUTCD SECTION - 2D.48, 2E.55

COLORS: SYMBOL WHITE (RETROREFLECTIVE)
BACKGROUND GREEN (RETROREFLECTIVE)



| SIGN SIZE | DIMENSIONS (INCHES) | | |
|-----------|---------------------|-----|-----|
| | A | B | C |
| MIN | 18 | 1/2 | 9E |
| STD | 24 | 1/2 | 12E |
| SPECIAL | 30 | 3/4 | 16E |

REFERENCES

MdMUTCD SECTION - 2D.48, 2E.55

COLORS

LEGEND - WHITE

BACKGROUND - BLUE

APPROVED Tom Hicks (signature on file)
DIRECTOR - OFFICE OF TRAFFIC AND SAFETY

Maryland Department of Transportation
STATE HIGHWAY ADMINISTRATION

MARYLAND STANDARD HIGHWAY SIGNS


METRO (SYMBOL - BALTIMORE)



| APPROVAL • SHA REVISIONS | APPROVAL • FEDERAL HIGHWAY ADMINISTRATION |
|----------------------------|---|
| APPROVAL 03/02/2009 | APPROVAL |
| REVISED | REVISED |
| REVISED | REVISED |
| REVISED | REVISED |

SIGN NUMBER

I-7(1)



NOTE: FOR LOGO DESIGN CONTACT SHA SIGN SHOP.

| SIGN SIZE | DIMENSIONS (INCHES) | | | | |
|-----------|---------------------|-----|-------|--------|-------|
| | A | B | C | D | E |
| MIN | 18 | 1/2 | 3-3/8 | 11-1/4 | 1-1/2 |
| STD | 24 | 1/2 | 4-1/2 | 15 | 1-1/2 |
| SPECIAL | 30 | 3/4 | 5-5/8 | 18-3/4 | 1-7/8 |

REFERENCES

MdMUTCD SECTION - 2D.48, 2E.55

COLORS

FOR USE AS INDEPENDENT MOUNTINGS

LEGEND - WHITE
BACKGROUND - BROWN

FOR USE WITH GUIDE SIGNS

LEGEND - BROWN
BACKGROUND - WHITE

APPROVED Tom Hicks (signature on file)
DIRECTOR - OFFICE OF TRAFFIC AND SAFETY

Maryland Department of Transportation
STATE HIGHWAY ADMINISTRATION
MARYLAND STANDARD HIGHWAY SIGNS




| | |
|----------------------------|---|
| APPROVAL • SHA REVISIONS | APPROVAL • FEDERAL HIGHWAY ADMINISTRATION |
| APPROVAL 03/02/2009 | APPROVAL |
| REVISED | REVISED |
| REVISED | REVISED |
| REVISED | REVISED |

M METRO (WASHINGTON)

SIGN NUMBER

I-7(2)



NOTE: FOR LOGO DESIGN CONTACT SHA SIGN SHOP.

| SIGN SIZE | DIMENSIONS (INCHES) | | | | | |
|-----------|---------------------|----|-----|-------|--------|-------|
| | A | B | C | D | E | F |
| MIN | 24 | 18 | 1/2 | 5-1/2 | 7 | 1-1/2 |
| STD | 30 | 24 | 1/2 | 7-3/4 | 8-1/2 | 1-1/2 |
| SPECIAL | 36 | 30 | 3/4 | 9-3/4 | 10-1/2 | 1-7/8 |

REFERENCES

MdMUTCD SECTION - 2D.48, 2E.55

COLORS

LEGEND - BLUE (MARC & BORDER)
- ORANGE (UNDERLINES)

BACKGROUND - WHITE

APPROVED Tom Hicks (signature on file)
DIRECTOR - OFFICE OF TRAFFIC AND SAFETY

Maryland Department of Transportation
STATE HIGHWAY ADMINISTRATION
MARYLAND STANDARD HIGHWAY SIGNS

| | | |
|--|----------------------------|---|
| | APPROVAL • SHA REVISIONS | APPROVAL • FEDERAL HIGHWAY ADMINISTRATION |
| | APPROVAL 03/02/2009 | APPROVAL |
| | REVISED | REVISED |
| | REVISED | REVISED |
| | REVISED | REVISED |

MARC SIGN

SIGN NUMBER

I-7(3)



NOTE: FOR LOGO DESIGN CONTACT SHA SIGN SHOP.

| SIGN SIZE | DIMENSIONS (INCHES) | | | | | |
|-----------|---------------------|----|-----|-------|--------|-------|
| | A | B | C | D | E | F |
| MIN | 24 | 18 | 1/2 | 4-1/2 | 9 | 1-1/2 |
| STD | 30 | 24 | 1/2 | 6-1/4 | 11-1/2 | 1-1/2 |
| SPECIAL | 36 | 30 | 3/4 | 8 | 14 | 1-7/8 |

REFERENCES

MdMUTCD SECTION - 2D.48, 2E.55

COLORS

LEGEND - BLUE

BACKGROUND - WHITE

APPROVED Tom Hicks (signature on file)
DIRECTOR - OFFICE OF TRAFFIC AND SAFETY

Maryland Department of Transportation
STATE HIGHWAY ADMINISTRATION
MARYLAND STANDARD HIGHWAY SIGNS




| | |
|----------------------------|---|
| APPROVAL • SHA REVISIONS | APPROVAL • FEDERAL HIGHWAY ADMINISTRATION |
| APPROVAL 03/02/2009 | APPROVAL |
| REVISED | REVISED |
| REVISED | REVISED |
| REVISED | REVISED |

AMTRAK

SIGN NUMBER


I-7(4)

SHA SIGN SHALL NOT BE USED ALONG STATE OWNED, OPERATED AND MAINTAINED ROADWAYS.



SHA *FOR SYMBOL DESIGN REFER TO THE APPENDIX-GRID SECTION FROM FHWA'S STANDARD HIGHWAY SIGNS BOOK-APPENDIX SECTION

SHA SIGN SHALL NOT BE USED ALONG STATE OWNED, OPERATED AND MAINTAINED ROADWAYS.



Smaller size panels may be used as applicable within terminal areas.

| A | B | C | D | E |
|----|-----|-----|----|-------|
| 18 | .5 | 1.5 | 15 | 1.5 |
| 24 | .5 | 2 | 20 | 1.5 |
| 30 | .75 | 2.5 | 25 | 1.875 |

COLORS: SYMBOL WHITE (RETROREFLECTIVE)
 LEGEND WHITE (RETROREFLECTIVE)
 BACKGROUND GREEN (RETROREFLECTIVE)




I-11
 RECYCLING

SHA *FOR SYMBOL DESIGN REFER TO THE APPENDIX-GRID SECTION FROM FHWA'S STANDARD HIGHWAY SIGNS BOOK -APPENDIX SECTION

SHA REFERENCES
 MdMUTCD SECTION - 2D.48, 2E.55

COLORS: LEGEND BACKGROUND WHITE (RETROREFLECTIVE) GREEN (RETROREFLECTIVE)



I-12


LIGHT RAIL STATION

SHA *FOR SYMBOL DESIGN REFER TO THE APPENDIX-GRID SECTION FROM FHWA'S STANDARD HIGHWAY SIGNS BOOK -APPENDIX SECTION

| A | B | C | D | E |
|----|-----|-------|--------|-------|
| 18 | .5 | 1.25 | 15.5 | 1.5 |
| 24 | .5 | 1.625 | 10.375 | 1.5 |
| 30 | .75 | 2 | 14 | 1.875 |

COLORS: SYMBOL WHITE (RETROREFLECTIVE)
 BACKGROUND GREEN (RETROREFLECTIVE)

SHA SIGN SHALL NOT BE USED ALONG STATE OWNED, OPERATED AND MAINTAINED ROADWAYS.



NOTE: FOR LOGO DESIGN CONTACT SHA SIGN SHOP.

- * CLEARVIEW TYPE SYSTEM: CLEARVIEWHWY-2-W
- ** CLEARVIEW TYPE SYSTEM: CLEARVIEWHWY-3-W

| SIGN SIZE | DIMENSIONS (INCHES) | | | | | | |
|-----------|---------------------|-----|-------|--------|-------|-----|-------|
| | A | B | C | D | E | F | G |
| MIN | 18 | 1/2 | 1-1/2 | 11-1/4 | 1-3/4 | 2** | 1-1/2 |
| STD | 24 | 1/2 | 2 | 15 | 2 | 3* | 1-1/2 |
| SPECIAL | 30 | 3/4 | 2-1/2 | 18-3/4 | 2-1/4 | 4* | 1-7/8 |

REFERENCES

MdMUTCD SECTION - 2D.48, 2E.55

COLORS

MAIN SIGN

LEGEND - WHITE
BACKGROUND - BLUE

LIGHT RAIL LOGO

SEE ABOVE DETAIL FOR COLORS

APPROVED Tom Hicks (signature on file)
DIRECTOR - OFFICE OF TRAFFIC AND SAFETY

Maryland Department of Transportation
STATE HIGHWAY ADMINISTRATION
MARYLAND STANDARD HIGHWAY SIGNS




| | |
|----------------------------|---|
| APPROVAL • SHA REVISIONS | APPROVAL • FEDERAL HIGHWAY ADMINISTRATION |
| APPROVAL 03/02/2009 | APPROVAL |
| REVISED | REVISED |
| REVISED | REVISED |
| REVISED | REVISED |

LIGHT RAIL (FOR INDEPENDENT USE)

SIGN NUMBER

I-12(1)



NOTE: FOR LOGO DESIGN CONTACT SHA SIGN SHOP.

| SIGN SIZE | DIMENSIONS (INCHES) | |
|-----------|---------------------|-------|
| | A | B |
| MIN | 18 | 1-1/2 |
| STD | 24 | 1-1/2 |
| SPECIAL | 30 | 1-7/8 |

REFERENCES

MdMUTCD SECTION - 2D.48, 2E.55

COLORS

SEE ABOVE DETAIL FOR COLORS

APPROVED Tom Hicks (signature on file)
DIRECTOR - OFFICE OF TRAFFIC AND SAFETY

Maryland Department of Transportation
STATE HIGHWAY ADMINISTRATION
MARYLAND STANDARD HIGHWAY SIGNS



| | |
|----------------------------|---|
| APPROVAL • SHA REVISIONS | APPROVAL • FEDERAL HIGHWAY ADMINISTRATION |
| APPROVAL 03/02/2009 | APPROVAL |
| REVISED | REVISED |
| REVISED | REVISED |
| REVISED | REVISED |

LIGHT RAIL (FOR GUIDE SIGN USE)

SIGN NUMBER I-12(2)




I-13

EMERGENCY NOTIFICATION

SHA SIGN SHALL NOT BE USED ALONG STATE OWNED, OPERATED AND MAINTAINED ROADWAYS. CONTACT RAILROAD CROSSING OWNER FOR THEIR DESIGN DETAIL.

*Series 2000 Standard Alphabets.

COLORS: LEGEND WHITE (RETROREFLECTIVE)
 BACKGROUND BLUE (RETROREFLECTIVE)




I-13a

EMERGENCY NOTIFICATION

*Series 2000 Standard Alphabets.

SHA SIGN SHALL NOT BE USED ALONG STATE OWNED, OPERATED AND MAINTAINED ROADWAYS. CONTACT RAILROAD CROSSING OWNER FOR THEIR DESIGN DETAIL.

COLORS: LEGEND WHITE (RETROREFLECTIVE)
 BACKGROUND BLUE (RETROREFLECTIVE)



NOTE: FOR SYMBOL DESIGN REFER TO I-13(1)GRID IN APPENDIX-GRID SECTION.

| SIGN SIZE | DIMENSIONS (INCHES) | | | | | |
|-----------|---------------------|-----|-----|---|----|-------|
| | A | B | C | D | E | F |
| STD | 24 | 3/8 | 5/8 | 3 | 18 | 1-1/2 |

REFERENCES

MdMUTCD SECTION - 2D.48, 2E.55

COLORS

LEGEND - RED

BACKGROUND - WHITE

APPROVED Tom Hicks (signature on file)
DIRECTOR - OFFICE OF TRAFFIC AND SAFETY

Maryland Department of Transportation
STATE HIGHWAY ADMINISTRATION
MARYLAND STANDARD HIGHWAY SIGNS




| APPROVAL • SHA REVISIONS | APPROVAL • FEDERAL HIGHWAY ADMINISTRATION |
|----------------------------|---|
| APPROVAL 03/02/2009 | APPROVAL |
| REVISED | REVISED |
| REVISED | REVISED |
| REVISED | REVISED |

FIRE HYDRANT

SIGN NUMBER

I-13(1)



NOTE: FOR SYMBOL DESIGN REFER TO I-13(1)GRID IN APPENDIX-GRID SECTION.

| SIGN SIZE | DIMENSIONS (INCHES) | | | | | | | | |
|--------------|---------------------|----|-----|-----|---|----|---|----|-------|
| | A | B | C | D | E | F | G | H | J |
| STD 4 DIGITS | 18 | 24 | 3/8 | 5/8 | 3 | 4C | 2 | 12 | 1-1/2 |
| STD 6 DIGITS | 24 | 24 | 3/8 | 5/8 | 3 | 4C | 2 | 12 | 1-1/2 |

REFERENCES

MdMUTCD SECTION - 2D.48, 2E.55

COLORS

LEGEND - RED

BACKGROUND - WHITE

APPROVED Tom Hicks (signature on file)
DIRECTOR - OFFICE OF TRAFFIC AND SAFETY

Maryland Department of Transportation
STATE HIGHWAY ADMINISTRATION
MARYLAND STANDARD HIGHWAY SIGNS




| | |
|----------------------------|---|
| APPROVAL • SHA REVISIONS | APPROVAL • FEDERAL HIGHWAY ADMINISTRATION |
| APPROVAL 03/02/2009 | APPROVAL |
| REVISED | REVISED |
| REVISED | REVISED |
| REVISED | REVISED |

FIRE HYDRANT SIGNING

SIGN NUMBER

I-13(2)



NOTE: FOR SYMBOL DESIGN CONTACT SHA SIGN SHOP.

| SIGN SIZE | DIMENSIONS (INCHES) | | | | | | | | |
|--------------|---------------------|----|-----|-----|---|----|---|----|-------|
| | A | B | C | D | E | F | G | H | J |
| STD 4 DIGITS | 18 | 24 | 3/8 | 5/8 | 3 | 4C | 2 | 12 | 1-1/2 |
| STD 6 DIGITS | 24 | 24 | 3/8 | 5/8 | 3 | 4C | 2 | 12 | 1-1/2 |

REFERENCES

MdMUTCD SECTION - 2D.48, 2E.55

COLORS

LEGEND - RED

BACKGROUND - WHITE

APPROVED Tom Hicks (signature on file)
DIRECTOR - OFFICE OF TRAFFIC AND SAFETY

Maryland Department of Transportation
STATE HIGHWAY ADMINISTRATION
MARYLAND STANDARD HIGHWAY SIGNS




| | |
|----------------------------|---|
| APPROVAL • SHA REVISIONS | APPROVAL • FEDERAL HIGHWAY ADMINISTRATION |
| APPROVAL 03/02/2009 | APPROVAL |
| REVISED | REVISED |
| REVISED | REVISED |
| REVISED | REVISED |

FIRE HYDRANT IDENTIFICATION MARKER

SIGN NUMBER

I-13(3)



| SIGN SIZE | DIMENSIONS (INCHES) | | | | | | | | | | |
|--------------|---------------------|----|-----|---|----|-------|----|-------|---|---|-------|
| | A | B | C | D | E | F | G | H | J | K | L |
| STD 2 DIGITS | 12 | 48 | 1/2 | 3 | 6D | 2-1/2 | 6D | 2-3/4 | 2 | 8 | 1-1/2 |
| STD 3 DIGITS | 12 | 48 | 1/2 | 3 | 6D | 2-1/2 | 6B | 2-3/4 | 2 | 8 | 1-1/2 |

REFERENCES

MdMUTCD SECTION - 2D.48, 2E.55

COLORS

LEGEND - SEE ABOVE
 BACKGROUND -

APPROVED Tom Hicks (signature on file)
 DIRECTOR - OFFICE OF TRAFFIC AND SAFETY

Maryland Department of Transportation
STATE HIGHWAY ADMINISTRATION
 MARYLAND STANDARD HIGHWAY SIGNS



| | |
|----------------------------|---|
| APPROVAL • SHA REVISIONS | APPROVAL • FEDERAL HIGHWAY ADMINISTRATION |
| APPROVAL 03/02/2009 | APPROVAL |
| REVISED | REVISED |
| REVISED | REVISED |
| REVISED | REVISED |

FIRE HYDRANT ID MARKER

SIGN NUMBER

I-13(4)