





POLE TYPE	ARM LENGTH OR POLE SIZE	FOUNDATION DIMENSIONS		CONCRETE REQUIRED C.Y.
		DIAMETER D FT.	HEIGHT H FT.	
PEDESTAL BREAKAWAY	10' / 11' / 20'	2	6	0.70
MAST ARM POLE	SINGLE 30' - 50'	3	10	2.62
	SINGLE 50' - 60'	4	10	4.65





- NOTES:**
1. NO DISTURBED AREA SHALL BE LEFT UNSTABILIZED OVERNIGHT UNLESS THE RUNOFF IS DIRECTED TO AN APPROVED EROSION AND SEDIMENT CONTROL DEVICE.
 2. THIS DETAIL IS FOR IDENTIFYING LIMIT OF DISTURBANCE ONLY. CONTRACTOR SHALL REFER TO CONTRACT DOCUMENTS AND BOOK OF STANDARDS FOR CONSTRUCTION DETAILS.
 3. ALL NON-PAVEMENT DISTURBED AREAS SHALL RECEIVE 4" TOPSOIL, SEED AND MULCH OR SOD.

SECTION A-A
SIGNAL STRUCTURE FOUNDATION




- NOTES:**
1. NO DISTURBED AREA SHALL BE LEFT UNSTABILIZED OVERNIGHT UNLESS THE RUNOFF IS DIRECTED TO AN APPROVED EROSION AND SEDIMENT CONTROL DEVICE.
 2. THIS DETAIL IS FOR IDENTIFYING LIMIT OF DISTURBANCE ONLY. CONTRACTOR SHALL REFER TO CONTRACT DOCUMENTS AND BOOK OF STANDARDS FOR CONSTRUCTION DETAILS.
 3. ALL NON-PAVEMENT DISTURBED AREAS SHALL RECEIVE 4" TOPSOIL, SEED AND MULCH OR SOD.

BASE-MOUNTED TYPE "S" CABINET




EMBEDDED SERVICE PEDIESTAL

- NOTES:**
1. NO DISTURBED AREA SHALL BE LEFT UNSTABILIZED OVERNIGHT UNLESS THE RUNOFF IS DIRECTED TO AN APPROVED EROSION AND SEDIMENT CONTROL DEVICE.
 2. THIS DETAIL IS FOR IDENTIFYING LIMIT OF DISTURBANCE ONLY. CONTRACTOR SHALL REFER TO CONTRACT DOCUMENTS AND BOOK OF STANDARDS FOR CONSTRUCTION DETAILS.
 3. ALL NON-PAVEMENT DISTURBED AREAS SHALL RECEIVE 4" TOPSOIL, SEED AND MULCH OR SOD.





CONDUIT DIAMETER (IN.)	TRENCH WIDTH (W)	
	MIN. (IN.)	MAX. (IN.)
1	3	4
2	4	5
3	5	6
4	6	7



- NOTES:**
1. NO DISTURBED AREA SHALL BE LEFT UNSTABILIZED OVERNIGHT UNLESS THE RUNOFF IS DIRECTED TO AN APPROVED EROSION AND SEDIMENT CONTROL DEVICE.
 2. THIS DETAIL IS FOR IDENTIFYING LIMIT OF DISTURBANCE ONLY. CONTRACTOR SHALL REFER TO CONTRACT DOCUMENTS AND BOOK OF STANDARDS FOR CONSTRUCTION DETAILS.

CONDUIT IN TRENCH



- NOTES:**
1. NO DISTURBED AREA SHALL BE LEFT UNSTABILIZED OVERNIGHT UNLESS THE RUNOFF IS DIRECTED TO AN APPROVED EROSION AND SEDIMENT CONTROL DEVICE.
 2. THIS DETAIL IS FOR IDENTIFYING LIMIT OF DISTURBANCE ONLY. CONTRACTOR SHALL REFER TO CONTRACT DOCUMENTS AND BOOK OF STANDARDS FOR CONSTRUCTION DETAILS.
 3. ALL NON-PAVEMENT DISTURBED AREAS SHALL RECEIVE 4" TOPSOIL, SEED AND MULCH OR SOD.

HANDHOLE WITH CONCRETE COLLAR

BY: agriffin

SABRA, WANG & ASSOCIATES, INC.
7055 SAMUEL MORSE DRIVE
SUITE 100
COLUMBIA, MD 21046
(410) 741-3500
WWW.SABRA-WANG.COM

SHA STATE OF MARYLAND
DEPARTMENT OF TRANSPORTATION
STATE HIGHWAY ADMINISTRATION
OFFICE OF TRAFFIC & SAFETY
TRAFFIC ENGINEERING DESIGN DIVISION
MD 173 (FORT SMALLWOOD ROAD)
FROM PITTMAN ROAD TO ENERGY PARKWAY
PASADENA, MARYLAND

REVISIONS		LIMIT OF DISTURBANCE DETAILS	
1	REDLINE NO. 1 - ADD SHEET 09/28/2012	SCALE	N.T.S. ADVERTISED DATE AUG. 2012 CONTRACT NO. XX6475185
		DESIGNED BY	A. GRIFFIN COUNTY ANNE ARUNDEL
		DRAWN BY	A. GRIFFIN LOGMILE 02017307.20 02017308.63
		CHECKED BY	S. DUJ TIMS NO. H408
		F.A.P. NO.	TOD NO.
DRAWING NO. ES-02 OF 02		SHEET NO. 15B OF 15	