

EQUIPMENT LIST "A, B & C"

A. EQUIPMENT TO BE SUPPLIED BY SHA.


NONE

B. EQUIPMENT TO BE FURNISHED AND/OR INSTALLED BY THE CONTRACTOR.

| ITEM NO. | DESCRIPTION | UNIT | QUANTITY |
|----------|---------------------------------------------------------------------------|------|----------|
| 800000 | 12-PAIR COMMUNICATION CABLE (SELF-SUPPORTING OR JELLY-FILLED/UNDERGROUND) | LF | 1200 |
| 800000 | UP TO 4 INCH SCHEDULE 80 RIGID PVC CONDUIT - BORED OR SLOTTED | LF | 35 |
| 800000 | UP TO 4 INCH SCHEDULE 80 RIGID PVC CONDUIT-TRENCHED | LF | 185 |
| 811001 | FURNISH AND INSTALL ELECTRICAL HANDHOLE | EA | 2 |

C. ALL MATERIALS TO BE REMOVED BY THE CONTRACTOR SHALL BECOME THE PROPERTY OF THE CONTRACTOR.

NONE



GENERAL NOTES

- UNDERGROUND UTILITIES SHOWN ON THESE PLANS ARE SCHEMATIC ONLY AND MAY NOT BE COMPLETE. THE CONTRACTOR SHALL BE RESPONSIBLE FOR NOTIFYING "MISS UTILITY" PRIOR TO CONSTRUCTION SO THAT ALL UTILITIES MAY BE LOCATED IN THE FIELD. IF THE CONTRACTOR PERCEIVES THAT A CONFLICT BETWEEN THE UTILITIES AND THE TRAFFIC SIGNAL WILL OCCUR, THE CONTRACTOR SHALL NOTIFY THE PROJECT ENGINEER IMMEDIATELY SO THAT THE CONFLICT MAY BE RESOLVED.
- 10 FT. OF SLACK SHALL BE PROVIDED IN EACH HANDHOLE FOR INTERCONNECT.
- SEE TRAFFIC SIGNAL PLANS FOR TRAFFIC SIGNAL EQUIPMENT AND CONDUIT DETAILS.
- THE CONTRACTOR SHALL BE RESPONSIBLE FOR TERMINATING ALL INTERCONNECT CABLES TO APPROPRIATE TERMINALS AND PROPERLY LABEL EACH CABLE.
- ALL UNUSED CABLE SHALL BE REMOVED AND DISPOSED OF BY THE CONTRACTOR. THE CONTRACTOR SHALL BE RESPONSIBLE FOR TERMINATING ALL INTERCONNECT CABLE TO THE APPROPRIATE TERMINALS AND PROPERTY LABELING EACH INTERCONNECT CABLE.

CONSTRUCTION DETAILS

- INSTALL 3 IN. SCHEDULE 80 RIGID PVC CONDUIT - TRENCHED WITH 12-PAIR INTERCONNECT COMMUNICATION CABLE, JELLYFILLED.
- INSTALL 4 IN. SCHEDULE 80 RIGID PVC CONDUIT - BORED WITH 12-PAIR INTERCONNECT COMMUNICATION CABLE, JELLYFILLED.
- INSTALL 12-PAIR INTERCONNECT COMMUNICATION CABLE, JELLYFILLED IN PROPOSED CONDUIT.
- INSTALL 12-PAIR INTERCONNECT COMMUNICATION CABLE, JELLYFILLED IN EXISTING CONDUIT.
- DISCONNECT, PULLBACK AND REROUTE EXISTING INTERCONNECT COMMUNICATION CABLE (SEE SIGNAL PLANS FOR DETAILS).
- INSTALL ELECTRICAL HANDHOLE.
- USE PROPOSED HANDHOLE.
- USE EXISTING HANDHOLE.
- USE PROPOSED CABINET.

| GEOMETRIC LEGEND | |
|------------------|----------|
| --- | EXISTING |
| - - - | PROPOSED |

| UTILITY LEGEND | |
|----------------|------------------|
| SD | STORM DRAIN |
| G | GAS MAIN |
| W | WATER MAIN |
| S | SEWER MAIN |
| E | ELECTRIC CABLES |
| E | AERIAL CABLES |
| T | TELEPHONE CABLES |
| F | FIBER-OPTIC |

BY: BJB

RK&K
Rummel, Klepper & Kahl, LLP
 81 MOSHER STREET | BALTIMORE, MD 21217
 PH: (410) 728-2800 FAX: (410) 728-3180
 Engineers Construction Managers Planners Scientists
 www.rkk.com

| REVISIONS | |
|-----------|--|
| | |
| | |

| | |
|--------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------|
| STATE OF MARYLAND DEPARTMENT OF TRANSPORTATION STATE HIGHWAY ADMINISTRATION OFFICE OF TRAFFIC & SAFETY TRAFFIC ENGINEERING DESIGN DIVISION | |
| MD 140 (REISTERSTOWN RD) BETWEEN MT. WILSON LN & WOODHOLME CTR CIR PIKESVILLE, MARYLAND | |
| INTERCONNECT PLAN | |
| SCALE 1"=40' | DATE JANUARY 2013 CONTRACT NO. XY1515185 |
| DESIGNED BY WFW | COUNTY BALTIMORE |
| DRAWN BY WFW | LOGMILE 03014002.33-03014002.57 |
| CHECKED BY BJB | TMS NO. L825 |
| FAP NO. | TOD NO. |
| TS NO. 633F-18 2309E-18 | DRAWING IC-1 OF 1 SHEET NO. 5 OF 5 |