OFFICE OF TRAFFIC AND SAFETY

TEAM LEADER SIGNAL OPERATIONS

TEAM LEADER SIGN OPERATIONS

ASSISTANT DIVISION CHIEF. TRAFFIC OPERATIONS

SUPPLY OFFICER IV (SIGNAL SHOP WAREHOUSE)

CHIEF, TRAFFIC OPERATIONS

MR. RICHARD DAFF SR.

MR. ROBERT SNYDER

MR. ED RODENHIZER

MR. EUGENE BAILEY

MR. MIKE STOCKER

410-787-7630

410-787-76**30**

410-787-7650

410-78**7-767**0

410-787-7668

II. INTERSECTION OPERATION

THIS INTERSECTION OPERATES IN A NEMA FOUR PHASE OPERATION SEMI-ACTUATED MODE. MD 185 (CONNECTICUT AVENUE) APPROACHES WILL OPERATE CONCURRENTLY. WELLER ROAD APPROACHES WILL OPERATE CONCURRENTLY.

III. PEDESTRIAN OPERATION

NAVIGATOR AUDIBLE PEDESTRIAN PUSHBUTTONS TO CROSS THE NORTH LEG OF THE INTERSCTION ARE TO BE PROVIDED. WHEN THE PEDESTRIAN LOCATES AND PRESSES THE PUSHBUTTON FOR AN EXTENDED TIME, THE PUSHBUTTON UNIT WILL ANNOUNCE THE FOLLOWING MESSAGE:

NORTH: "WAIT TO CROSS CONNECTICUT AT WELLER, WAIT"

SPECIAL NOTES

1. THE CONTACT PERSONS FOR THIS PROJECT ARE AS FOLLOWS:

DISTRICT	
MR. CEDRIC WARD ASSISTANT DISTRICT	ENGINEER

- TRAFFIC PHONE NUMBER (301) 513-7498

MR. VICTOR GRAFTON DISTRICT ENGINEER - UTILITIES PHONE NUMBER (301) 513-7350

MR. VERNON STINNETT JR. ASSISTANT DISTRICT ENGINEER - MAINTENANCE PHONE NUMBER (301) 513-7304

MONTGOMERY COUNTY

MR. ROBERT RICKETTS MONTGOMERY COUNTY TECHNICAL CENTER SUPERVISOR PHONE NUMBER (240) 876-3681

MR. KAMAL HAMUD MONTGOMERY COUNTY- TRAFFIC ENGINEERING PHONE NUMBER (301) 777-8761

2. MAINTENANCE OF TRAFFIC WILL BE HANDLED BY THE CONTRACTOR UTILIZING THE FOLLOWING STANDARD PLATES FOR TRAFFIC CONTROL: MD 104.04-13 THROUGH MD 104.04-16. EQUIPMENT LIST

A. EQUIPMENT TO BE FURNISHED BY STATE HIGHWAY ADIMISTRATION

ITEM NO./ CAT CODE	QUAN	TITY	DESCRIPTION
900000	1	EA	MONTGOMERY COUNTY SPLICE CABINET (MONTGOMERY COUNTY TO SUPPLY/INSTALL)
900000	1	EA	TRAFFIC SIGNAL CONTROLLER NEMA SIZE 6 BASE MOUNTED CABINET AND VIDEO DETECTION INTERFACE EQUIPMENT (FOR 1-4 CAMERAS)
900000	1	ΕA	PELCO FLASHER CABINET REAR MOUNT AND BACK PANEL WITH ON/OFF SWITCH AND LED "YELLOW" INDICATION LAMP (PROVIDE 6 SPARE KEYS)
973023	255	SF	SHEET ALUMINUM SIGNS CONSISTING OF:
	2	SF	R10-3(1), (9"X15"), POLE MOUNT-2 EACH
	85	SF	D-3(1), DUAL FACED (16"XVAR.), MAST ARM MOUNT-8 EACH
	15	SF	R3-5(L). (30"X36"). MAST ARM MOUNT-2 EACH
	4	SF	R10-11. (24"X24"). MAST ARM MOUNT-1 EACH
	72	SF	\$1(1)MOD, \$1(1) MOD., (108"X48"), MAST ARM MOUNT-2 EACH
	48	SF	SHIELD ASSEMBLY (48"X72"), BAND TO POLE - 2 EACH
	20	SF	SHIELD ASSEMBLY (30"X48"), BAND TO POLE - 2 EACH
	9	SF	D3-2(1), (54"X24"), POST MOUNT - 1 EACH

B. EQUIPMENT TO BE FURNISHED AND/OR INSTALLED BY CONTRACTOR

ITEM NO./ CAT CODE	QUANTITY	DESCRIPTION
1001	1 EA	MAINTENANCE OF TRAFFIC
2001	50 CY	CLASS 2 EXCAVATION
2002	6 CY	TEST PIT EXCAVATION
5002	20 LF	5 INCH HEAT APPLIED WHITE OR YELLOW PERMANENT PAVEMENT MARKINGS
5003	1160 LF	REMOVAL OF EXISTING PERMANENT PAVEMENT LINE MARKINGS
5004	1000 LF	12 INCH WHITE PREFORMED THERMOPLASTIC PAVEMENT MARKING LINES
5005	160 LF	24 INCH WHITE PREFORMED THERMOPLASTIC PAVEMENT MARKING LINES
6001	145 LF	STANDARD TYPE A COMBINATION CURB AND GUTTER 12 INCH GUTTER PAN 8 INCH DEPTH
6002	1370 SF	5 INCH CONCRETE SIDEWALK
6003	90 SF	DETECTABLE WARNING SURFACE FOR CURB RAMP
8001	34 EA	12 INCH LED SIGNAL HEAD SECTION
8002	1 EA	2-WIRE CENTRAL CONTROL UNIT (APS PANEL TO BE SUPPLIED BY CONTRACTOR)
8005	2 EA	ADJUST HANDHOLE TO GRADE WITH NEW FRAME AND COVER
8007	2 EA	ANY SIZE LIGHTING ARM ON SIGNAL POLE WITH 250 WATT HPS LAMP AND LUMINAIRE
8008	2 EA	AUDIBLE/TACTILE PEDESTRIAN PUSH BUTTON STATION AND SIGNS
8009	2 EA	BREAKAWAY PEDESTAL POLE (ANY SIZE)
8012	1 EA	EMBEDDED METERED SERVICE PEDESTAL WITH BYPASS SWITCH
8015	2 EA	LED 16 INCH COUNTDOWN PEDESTRIAN SIGNAL HEAD
8017	1 EA	MAST ARM POLE AND 38 FOOT MAST ARM ANY 'T' DIMENSION
8019	3 EA	MAST ARM POLE AND 60 FOOT MAST ARM ANY 'T' DIMENSION

EQUIPMENT LIST CONTINUED

B. EQUIPMENT TO BE FURNISHED AND/OR INSTALLED BY CONTRACTOR

ITEM NO./ CAT CODE	QUANTITY	DESCRIPTION
8023	1 EA	REMOVE AND DISPOSE OF EQUIPMENT (PER ASSIGNMENT)
80 26	1 EA	TWIN MAST ARM POLE AND 50 FOOT/70 FOOT MAST ARM ANY 'T' DIMENSION
8028	4 EA	VIDEO DETECTION CAMERA AND CABLE ANY LENGTH
803 0	33 0 LF	1- CONDUCTOR ELECTRICAL CABLE, NO. 2 AWG/THHN
8031	90 LF	12-PAIR COMMUNICATION CABLE, SELF SUPPORTING, JELLY FILLED/UNDERGROU
8033	5 LF	DISCONNECT, PULL BACK AND REROUTE CABLES
8034	485 LF	ELECTRICAL CABLE - 2 CONDUCTOR (NO.12 AWG) TYPE T/C
8038	520 LF	UP TO 4 INCH SCHEDULE 80 RIGID PVC CONDUIT - SLOTTED
8039	1350 LF	UP TO 4 INCH SCHEDULE 80 RIGID PVC CONDUIT - TRENCHED
8041	255 SF	INSTALL OVERHEAD OR GROUND MOUNTED SIGN (INCLUDING ALL HARDWARE)
8043	1900 LF	NO. 6 AWG STRANDED BARE COPPER GROUND WIRE
8046	35 LF	ELECTRICAL CABLE 1-CONDUC tor NO. 8 AWG-THHN/THWN
8047	15 EA	FURNISH AND INSTALL ELECTRICAL HANDHOLE
8051	30 LF	3 INCH DIAMETER POLYVINYL CHLORIDE CONDUIT, SCHEDULE 80, RISER
805 4	500 LF	ELECTRICAL CABLE-2 CONDUCTOR (NO. 14 AWG)
80 56	3000 LF	ELECTRICAL CABLE-5 CONDUCTOR (NO. 14 AWG)
8057	1650 LF	ELECTRICAL CABLE-7 CONDUCTOR (NO. 14 AWG)
8063	1 EA	INSTALL CONTROLLER AND CABINET-BASE MOUNT (ANY SIZE)

C. SHA FORCES SHALL REMOVE THE CONTROLLER AND ALL AUXILIARY EQUIPMENT FROM

| FL/Y | FL/Y | FL/Y | FL/R | FL/R | FL/R | FL/R | FL/R | DARK DARK * SIGNALS 20,21,22 AND 23 WILL FLASH ALTERNATING WITH "MANUAL ONOFF SWITCH" DURING SCHOOL CROSSING ONLY

R

G

R R G G G G G

GGGGG

R R G G G G G FDW FDW

R R Y Y Y Y Y Y DW DW

PHASE 2 AND 6 2 AND 6 CHANGE PHASE 4 AND 8 4 AND 8 CHANGE ALT PHASE 4 AND 8 PED CLEARANCE ALT 4 AND 8 CHANGE FLASHING OPERATION

THE CONTROLLER CABINET. THE CABINET AND ALL OTHER MATERIALS TO BE REMOVED BY THE CONTRACTOR SHALL BECOME THE PROPERTY OF THE CONTRACTOR. T,U,V,W,AA,CC -----A.B.C.D.E.F.L.M.N.O.P.Q.R.S.X.Y.Z A,B,C,D,E,F,L,M,N,O,P,Q,R,S,T,U,V,W,X,Y,Z----R,S,T,U,V,W,X,Y,Z ---E,F,J /---E,F,J,U P,Q,Z-~E.F.U.Y -E,F,U,Y,Z -A.B.C.L.M.N.O.R.S.V.W.X.Z.CC P.Q.Z D.T-D,K,T---L.R.Z D,K-----A.B.C.E.F.L.M.N.O. R,S,U,V,W,X,Y,Z,CC A.B.C.M.N.O.S.V.W.X.Z.CC-A.B.C.M.N.O.S.V.W.X.Z.CC

A,B,C,D,E,F } 7 - CONDUCTOR ELECTRICAL CABLE (NO. 14 AWG)

<u>KEY</u>

 $G_1H_1J_1K_1L_1M_1N_1O_1P_1Q$ } 5 - CONDUCTOR ELECTRICAL CABLE (NO. 14 AWG) R.S } 2 - CONDUCTOR ELECTRICAL CABLE (NO. 14 AWG)

ELECTRICAL CABLE - 2-CONDUCTOR (NO.12 AWG) TYPE T/C

ELECTRICAL CABLE 1-CONDUCTOR NO. 8 AWG-THHN/THWN

3-1 CONDUCTOR ELECTRICAL CABLE, NO 2 AWG/THHN

T,U,V,W } VIDEO DETECTION CONTROL CABLE

STRANDED BARE COPPER GROUND WIRE (NO. 8 AWG)

GROUND ROD

AA } 12-PAIR INTERCONNECT CABLE

NOTE:

CABLE "CC" CONNECTS CROSSING GUARD CONTROL BOX AND CONTROLLER.

STATE OF MARYLAND DEPARTMENT OF TRANSPORTATION STATE HIGHWAY ADMINISTRATION OFFICE OF TRAFFIC & SAFETY

-N.O.Z

-A.B.C.V.W.X.Z.CC

TRAFFIC ENGINEERING DESIGN DIVISION MD 185 AT WELLER ROAD

R DW DW

R DW DW

G DW DW

Y DW DW

w w

G

GLENMONT, MARYLAND

GENERAL INFORMATION SHEET

DRAWING SP-4 OF 4



936 Ridgebrook Road

CONSTRUCTION MANAGERS Sparks, Maryland 21152 Telephone: (410) 316-7800

TOD NO: XX655-14

SHA NO: MO972B59

MD 185 @ Weller Road

SCALE 1" = 20' ADVERTISED DATE DESIGNED BY

TS NO. 521B

F.A.P. NO.

COUNTY_ MONTGOMERY LOGMILE - K539

CONTRACT NO. XX6555185

SHEET NO. 4 OF 4

PLOTTED: "10:44 AM on Friday, September 23, 2011" FILE: M:\2009\01090619.22\drawings\pSG-N001_MD185.dgn